

# Pool Length Certification Form

1. Pool name North Junior High LMSC Minnesota  
 Address 10700 Cedar Lake Road  
 City Minnetonka State MN ZIP 55305

2. Measurement parameters (circle answer)

a. Nominal pool length: 25 yards 25 meters 50 meters  
 b. Moveable bulkhead: Yes No  
 c. Measuring device (see below): Steel tape Laser  
 d. Number of touchpads per lane at time of measurement:  
 (In some cases, two touchpads may be used, one at each end of the pool.)  
 None One Two

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters  
 If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 75' 3/8" Lane 2 75' 2/5" Lane 3 75' 2/5" Lane 4 75' 2/5"  
 Lane 5 75' 3/8" Lane 6 75' 3/8" Lane 7 na Lane 8 na  
 Lane 9 na Lane 10 na Lane 11 na Lane 12 na

4. Measured by:

Name Karen Zemlin  
 Title Sanction Chair  
 Address 9388 Creekwood Dr.  
 City Eden Prairie  
 State MN ZIP 55347  
 Date March 9, 2013

Submitted by:

Name Same  
 Title \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ ZIP \_\_\_\_\_  
 Date March 9, 2013

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.



## Pool Length Certification Form

1. Pool name Highland Outdoor Pool LMSC MN LMSC  
Address 1840 Edgumbe Rd  
City St. Paul State MN ZIP 55116

## 2. Measurement parameters (circle answer)

a. Nominal pool length:

b. Moveable bulkhead:

c. Measuring device (see below):

d. Number of touchpads per lane at time of measurement:

(In some cases, two touchpads may be used, one at each end of the pool.)

25 yards

Yes

Steel tape

25 meters

No

Laser

50 meters

Placement confirmation \_\_\_\_\_

Other \_\_\_\_\_

None

One

Two

## 3. Measurements: (Minimum distances measured)

Distances measured in (circle one):

feet/inches or

meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 50.07 Lane 2 50.07 Lane 3 50.08 Lane 4 50.075  
Lane 5 50.08 Lane 6 50.08 Lane 7 50.075 Lane 8 50.075  
Lane 9 X Lane 10 X Lane 11 X Lane 12 X

## 4. Measured by:

Name Karen ZemlinTitle LMSC Sanction ChairAddress 9388 Creekwood DrCity Eden PrairieState MN ZIP 55347Date 6/29/13

## Submitted by:

Name same

Title \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ ZIP \_\_\_\_\_

Date \_\_\_\_\_

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

# Pool Length Certification Form

1. Pool name UNIVERSITY OF MN AQUATIC CTR LMSC MINNESOTA

Address \_\_\_\_\_

City MINNEAPOLIS State MN ZIP \_\_\_\_\_

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Nominal pool length: 25 yards 25 meters 50 meters  
 b. Moveable bulkhead: Yes No Placement confirmation X  
 c. Measuring device (see below): Steel tape Laser Other One Two  
 d. Number of touchpads per lane at time of measurement: One Two  
 (In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 50.04 Lane 2 \_\_\_\_\_ Lane 3 \_\_\_\_\_ Lane 4 \_\_\_\_\_  
 Lane 5 50.07 Lane 6 \_\_\_\_\_ Lane 7 \_\_\_\_\_ Lane 8 50.09  
~~Lane 9~~ ~~Lane 10~~ ~~Lane 11~~ ~~Lane 12~~

4. Measured by:

Name JIM PELLESAR  
 Title (BRIAN HOLTHUIS) LMSC CHAIR  
 Address 520 OAK CREEK DR. SO.  
 City Vadnais Heights  
 State MN ZIP 55127  
 Date 5/19/2013

Submitted by:

Name TOM MOORE  
 Title MEET DIRECTOR  
 Address 18905 12TH AVE N  
 City PLYMOUTH  
 State MN ZIP 55447  
 Date 5/19/2013

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.



## Pool Length Certification Form

1. Pool name Burnsville Senior High School LMSC Minnetonka  
 Address 600 E. Highway 13  
 City Burnsville State MN ZIP 55337

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Nominal pool length: 25 yards 25 meters 50 meters  
 b. Moveable bulkhead: Yes No Placement confirmation \_\_\_\_\_  
 c. Measuring device (see below): Steel tape Laser Other \_\_\_\_\_  
 d. Number of touchpads per lane at time of measurement: None One Two  
 (In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 <u>76' 5 1/16"</u>	Lane 2 <u>76' 5 1/16"</u>	Lane 3 <u>76' 0"</u>	Lane 4 <u>75' 11 5/16"</u>
Lane 5 <u>76' 0"</u>	Lane 6 <u>76' 7 1/16"</u>	Lane 7 <u>X</u>	Lane 8 <u>X</u>
Lane 9 <u>X</u>	Lane 10 <u>X</u>	Lane 11 <u>X</u>	Lane 12 <u>X</u>

4. Measured by:

Name Michael Aberg  
 Title Top Ten Recorder  
 Address 4301 304th Ave. S.  
 City Minneapolis  
 State MN ZIP 55406  
 Date 12/8/12

Submitted by:

Name Same  
 Title \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ ZIP \_\_\_\_\_  
 Date 4/23/13

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

## Pool Length Certification Form

1. Pool name Burnsville High School LMSC Minnesota  
Address 600 E. Highway 13  
City Burnsville State MN ZIP 55337

2. Measurement parameters (circle answer)

- a. Nominal pool length: 25 yards 25 meters 50 meters  
b. Moveable bulkhead: Yes No Placement confirmation \_\_\_\_\_  
c. Measuring device (see below): Steel tape Laser Other \_\_\_\_\_  
d. Number of touchpads per lane at time of measurement: None One Two  
(In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 76' 2 1/4" Lane 2 \_\_\_\_\_ Lane 3 76' 2 1/4" Lane 4 \_\_\_\_\_  
Lane 5 \_\_\_\_\_ Lane 6 76' 2 1/4" Lane 7 \_\_\_\_\_ Lane 8 \_\_\_\_\_  
Lane 9 \_\_\_\_\_ Lane 10 \_\_\_\_\_ Lane 11 \_\_\_\_\_ Lane 12 \_\_\_\_\_

4. Measured by:

Name Loren Zenlin  
Title Sanction Chair  
Address 9358 Creekwood Dr.  
City Eden Prairie  
State MN ZIP 55347  
Date 12/8/12

Submitted by:

Name \_\_\_\_\_  
Title \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_ ZIP \_\_\_\_\_  
Date \_\_\_\_\_

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.



## Pool Length Certification Form

1. Pool name Univ of Minnesota LMSC Minnesota  
Address 1910 Univ. Ave  
City Mpls State MN ZIP 55104

2. Measurement parameters (circle answer)

- a. Nominal pool length: 25 yards 25 meters 50 meters  
b. Moveable bulkhead: Yes No Placement confirmation \_\_\_\_\_  
c. Measuring device (see below): Steel tape Laser Other \_\_\_\_\_  
d. Number of touchpads per lane at time of measurement: None One Two  
(In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 100ft + 2" Lane 2 \_\_\_\_\_ Lane 3 \_\_\_\_\_ Lane 4 100ft + 1 3/4"  
Lane 5 \_\_\_\_\_ Lane 6 \_\_\_\_\_ Lane 7 100ft + 2" Lane 8 \_\_\_\_\_  
Lane 9 \_\_\_\_\_ Lane 10 \_\_\_\_\_ Lane 11 \_\_\_\_\_ Lane 12 \_\_\_\_\_

4. Measured by:

Name Karen Zenfen  
Title Sanction Chair  
Address 9388 Greenwood Dr.  
City Eden Prairie  
State MN ZIP 55347  
Date 5/13/12

Submitted by:

Name \_\_\_\_\_  
Title \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_ ZIP \_\_\_\_\_  
Date \_\_\_\_\_

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

## Pool Length Certification Form

1. Pool name University of Minnesota LMSC Min  
 Address 1910 Univ. Ave  
 City Minneapolis State MN ZIP 55104

2. Measurement parameters (circle answer)

a. Nominal pool length: 25 yards 25 meters 50 meters  
 b. Moveable bulkhead: Yes No Placement confirmation \_\_\_\_\_  
 c. Measuring device (see below): Steel tape Laser Other \_\_\_\_\_  
 d. Number of touchpads per lane at time of measurement: None One Two  
 (In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 75' 11/16" Lane 2 \_\_\_\_\_ Lane 3 \_\_\_\_\_ Lane 4 75' 12/16"  
 Lane 5 \_\_\_\_\_ Lane 6 \_\_\_\_\_ Lane 7 \_\_\_\_\_ Lane 8 75' 8/16"  
 Lane 9 \_\_\_\_\_ Lane 10 \_\_\_\_\_ Lane 11 \_\_\_\_\_ Lane 12 \_\_\_\_\_

4. Measured by:

Name JIM PELISSIER  
 Title \_\_\_\_\_  
 Address 4313 Bridgeland Ter.  
 City VADNAIS HTS.  
 State MN ZIP 55127  
 Date Dec 4, 2011

Submitted by:

Name \_\_\_\_\_  
 Title \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ ZIP \_\_\_\_\_  
 Date \_\_\_\_\_

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.



## Pool Length Certification Form

1. Pool name MINNETONKA Middle School East LMSC Minn  
 Address 17000 LAKE ST. EXTENSION  
 City MINNETONKA State MN ZIP 55345

2. Measurement parameters (circle answer)

a. Nominal pool length: 25 yards 25 meters 50 meters  
 b. Moveable bulkhead: Yes No Placement confirmation \_\_\_\_\_  
 c. Measuring device (see below): Steel tape Laser Other \_\_\_\_\_  
 d. Number of touchpads per lane at time of measurement: None One Two  
 (In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters  
 If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 75' 0 <sup>14</sup>/<sub>16</sub> Lane 2 75' 1 <sup>3</sup>/<sub>16</sub> Lane 3 75' 1 <sup>6</sup>/<sub>16</sub> Lane 4 75' 1 <sup>6</sup>/<sub>16</sub>  
 Lane 5 75' 1 <sup>6</sup>/<sub>16</sub> Lane 6 75' 1 <sup>8</sup>/<sub>16</sub> Lane 7 75ft 1 <sup>5</sup>/<sub>16</sub> Lane 8 75ft 0 <sup>14</sup>/<sub>16</sub>  
 Lane 9 \_\_\_\_\_ Lane 10 \_\_\_\_\_ Lane 11 \_\_\_\_\_ Lane 12 \_\_\_\_\_

4. Measured by:

Name JIM PELISSIER  
 Title \_\_\_\_\_  
 Address 4313 Bridgewood Ter  
 City VADUAIS HTS.  
 State MN ZIP 55127  
 Date OCT 30, 2011

Submitted by:

Name \_\_\_\_\_  
 Title \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ ZIP \_\_\_\_\_  
 Date \_\_\_\_\_

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.