maled to D. BergguizAT
9/5/19

#### Pool Length Certification Form (rev. 10/17/2017)

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1.	Facility	1/		1		,					
Poo	ol Name	ian Agual	hc len	P	Pool Length						
Ad	dress	23 SE HO	arvad	Street		2	5 Yards	25 Mete	rs (50 Meters		
Cit	y /	Vinneasol	15 State MN Zip 5546				Moveable Bulkhead				
LMSC MINNESTE							Yes No				
nec		inique pool name	entify the specific p facility or the pool		ti		of Touchpa e measure One	ds in place at			
2.	Measurement parameters (circle answer)  a. Measuring device (see instructions): Steel tape?										
3.	Measurement	<b>S</b>			Date	of Initial N	Measurer	ment:			
	A. Initial Me	asurement: Co	mplete this	section with measu	rement of a	ıll lanes if t	he pool h	as never beer	n measured.		
	Lane 1		Lane 3		Lane 4						
	Lane 5	5 Lane 6 L			Lane 7		Lane 8				
	Lane 9	Lane 10						Lane 12			
	B. Bulkhead Confirmation Measurements: (per Rule 105.1.7)  Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.								length of the lane.		
		Date	L-Outer Lane #	Left Outer Lane Length	Center Lane #	Center I Length		R- Outer Lane #	Right Outer Lane Length		
	Pre-meet	7/28	1	50.01	4	50	01	8	50.01		
	Post session 1	7/28	1	50.01	H	50.	01	8	50-01		
	Post session 2										
	Post session 3			A 7 7 7 7 1					***4		
4.	Measured by	+1-	IA	P	Submi	itted by:	0 1/	V 0 0	.00/		
	Name	avelv 1	1/101	<i></i>	Name	MA	HILL KAPLAN				
	Title Agu	atics (	porde	nator	Title _						
	Address //	930 Oak	date	Ave		ss 1010	WI	Ninneh	and My		
	City/State/ZIP	west	aint	faul NN	55 City/S	tate/ZIP _	1114	DN	55419		
Phone Number 605-759-8544 Phone Numb							110 03/1-5130				

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form (rev. 10/17/2017)

OB challed to spalled

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification. Downey Centar 1. Facility Pool Length **Pool Name** SOUTHNIEW 25 Yards 25 Meters 50 Meters Address Moveable Bulkhead State City Yes No LMSC Number of Touchpads in place at Note: For facilities with multiple pools, please identify the specific pool being time of the measurement measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility. Zero One Two 2. Measurement parameters (circle answer) a. Measuring device (see instructions): Steel tape? Laser? Other b. Distances measured in (check one): feet with feet displayed as a decimal to 1/100 like 75.01 feet feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in. meters with meters displayed as a decimal to 1/100 like 50.01m meters/centimeters with centimeters displayed as 50m 1cm 3. Measurements A. Initial Measurement: Complete this section with measurement of all lanes if the pool has never been measured Lane 2 Lane 3 Lane 1 Lane 5 Lane 7 Lane 8 Lane 6 Lane 9 Lane 10 Lane 11 Lane 12 B. Bulkhead Confirmation Measurements: (per Rule 105.1.7) Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane. R- Outer Right Outer L-Outer Left Outer Center Center Lane Date Lane # Lane # Lane # Lane Length Length Lane Length Pre-meet Post session 1 Post session 2 Post session 3 Submitted by: Measured by:

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

City/State/ZIP

Phone Number

Name

Address

City/State/ZIP

Phone Number

Pool Length Certification Form DOROTHY SHERRED PADL LMSC\_MIMEST 1910 UMNEPSIM Address MINNEAPONIS State Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility. Measurement parameters (circle answer) a. Nominal pool length: 25 meters 50 meters Placement confirmation b. Moveable bulkhead: No Other c. Measuring device (see below): Steel tape Laser d. Number of touchpads per lane at time of measurement: None (In some cases, two touchpads may be used, one at each end of the pool.) Measurements: (Minimum distances measured) feet/inches or Distances measured in (circle one): meters/centimeters If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be 75.08 Lane 2 Lane 3 Lane 4 Lane 1 Lane 6 \_\_\_\_\_Lane 7 \_\_\_ Lane 10 Lane 11 4. Measured by: Submitted by: TOM MODE Name Title MGOT OPECTUR Address TON, WOOLE, MN CGMTL. COM Address City \_\_\_\_ City State

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Date \_\_ 1/24/2016

Date \_ 1/24/2016

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

# Pool Length Certification Form (rev. 12/04/2015)

		n the next page. Please review them before measuring your nitted for your pool certification.					
1. Pool name L. Sheppard P	col in the Freen	non Aquatic Center at the Univ. of  LMSC Minnesota					
Address	EDITY IFUL OF						
CityMimneapoli	<u></u>	State					
Note: For facilities with multiple poo within the facility or the pool location	els, please identify the spo in relation to other pool	ecific pool being measured either by unique pool name s within the entire facility.					
<ul> <li>a. Nominal pool length: <ul> <li>b. Moveable bulkhead: <ul> <li>c. Bulkhead placement confirmation timing:</li> <li>defore the meet?</li> <li>defore the meet?</li> <li>or after Session (name)</li> <li>(If measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured. Measurements must be taken before the meet starts and again after each session)</li> <li>d. Measuring device (see instructions):</li> <li>description: <ul> <li>Steel tape?</li> <li>Laser?</li> <li>Other</li> <li>None?</li> <li>One?</li> <li>Two?</li> </ul> </li> <li>(In some cases, two touchpads may be used, one at each end of the pool.)</li> </ul></li></ul></li></ul>							
3. Measurements: (Minimum distances measured) Distances measured in (check one): feet with feet displayed as a decimal to 1/100 like 75.01 feetfeet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in meters with meters displayed as a decimal to 1/100 like 50.01m meters/centimeters with centimeters displayed as 50m lcm.							
Lane 1 25.016 L	ane 2 25.010	Lane 3 25.012 Lane 4 25-013					
Lane 5 25.009 L	ane 6 25.011	Lane 7 25.014 Lane 8 25-015					
Lane 9 L	ane 10	_Lane !1 Lane 12					
4. Measured by:  Name Karr Zenlin  Title Med Dr.		Submitted by: Name Down & Berganist  Title MN LMSC Top Ten/Sanctions					
Address 1830 Black		Address 8200 Humboldt Aux So. #300					
City Plymouth		City Bloomington					
State // / ZIP	55447	State $MN$ $ZIP_5543$					
Date 12/13/15		Date					

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, Records Administrator, <a href="records@usms.org">records@usms.org</a>. Measure before applying for a sanction.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

#### **United States Masters Swimming**

Pool Length Ce	rtification Form
1. Pool name Lincoln Middle S	
Address 3215 W. 3rd St. B	WINT LOAD
City Duluth	
Note: For facilities with multiple pools, please identify the sp within the facility or the pool location in relation to other pool	pecific pool being measured either by unique pool name ols within the entire facility.
2. Measurement parameters (circle answer) a. Nominal pool length: b. Moveable bulkhead: c. Measuring device (see below): d. Number of touchpads per lane at time of measuremer (In some cases, two touchpads may be used, one at each	Dape Laser Other None One Two
3. Measurements: (Minimum distances measured) Distances measured in (circle one): feet/inches of these measurements are a confirmation of bulkhead planeasured.  Lane 1 755 Lane 2 755 Lane 5 75 Lane 6	meters/centimeters accement, only the outermost lanes and a center lane must be Lane 3 75 ft, Lane 4 Lane 7 5 Lane 8 75
Lane 9 Lane 10	Lane 11 Lane 12
4. Measured by: Name Tohn Nelson	Name Randy Schlichting  One of Marcana
Title <u>Meet Manager</u>	Title Asst. Meet Marager Address 1308 Wilderness Lane
Address	
City	City Eagan
State ZIP	State ZIP
Date	Date 5   16   15

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form for each session (day of the meet) must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

## **Pool Length Certification Form**

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Pool name	University of	Minn & A a Aqui	LMSCMinnessta
Address	1910 Unive	rsity Ave. SE	
Note: For facilities within the facility	es with multiple pools, plea or the pool location in rela	ase identify the specific pool being ation to other pools within the en	ing measured either by unique pool name ntire facility.
<ul><li>a. Nominal p</li><li>b. Moveable</li><li>c. Bulkhead</li><li>d. Measuring</li><li>e. Number o</li></ul>	bulkhead: placement confirmation g device (see below): f touchpads per lane at tim	25 yards 25 meter Yes No Yes Before the Steel tape Laser	Other None One Two
Distances measured.  Lane 1	Lane 2	feet/inches or meters/cer in of bulkhead placement, only the	he outermost lanes and a center lane must be  Lane 4
Lane 575	Lane 6 _	Lane 7	Lane 8
Lane 9			Lane 12
4. Measured by Name	law d Berggan	Submitted by	y:
		Name	Same as newwed by
	Ten		Same as musived by
Title .lop		Title	
Title	Ten	Title	
Title	Ten 97 Terrace Dr.	Title  Address  City  State	

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Walt Reid, Records Administrator, <a href="records@usms.org">records@usms.org</a>. Measure before applying for a sanction.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

# **Pool Length Certification Form**

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Pool name Univ. of Minnesot	LMSC Minn
Address 1910 University Aur SE	
Note: For facilities with multiple pools, please identify the s within the facility or the pool location in relation to other pool	pecific pool being measured either by unique pool name ols within the entire facility.
<ul><li>b. Moveable bulkhead:</li><li>c. Bulkhead placement confirmation</li></ul> Yes Yes	
3. Measurements: (Minimum distances measured) Distances measured in (circle one): feet/inches o If these measurements are a confirmation of bulkhead pl measured.  Lane 1 25,016 Lane 2	meters/centimeters accement, only the outermost lanes and a center lane must b  Lane 3 Lane 4
Lane 5 Lane 6	Lane 7 Lane 8 _ 25, 015
Lane 9 Lane 10	_Lane 11 Lane 12
Name Meet Director  Address 1830 Black Oaks In N  City Plymonth  State Min ZIP 55447	Submitted by:  Name Dave Berggnist  Title MN LMSC top ten Coold Santins  Address Show Humboldt Hus So #300  City Blamistan M  State MN ZIP 55431
Date 12/13/15	Date

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Walt Reid, Records Administrator, records@usms.org. Measure before applying for a sanction.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

### Pool Length Certification Form (rev. 10/17/2017)

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1.	Facility	No	ew Pray	gue A	iquaticy (	ente	r 50	CM Se	tup.		
A Ci	easured eith	er by ur	ith multiple poo	e within the	State MN dentify the specific p	Zip	Jer (	Yes Number	25 Met e Bulkhead No	ads in place at	
2.											
3.	Measure	ements				Date	of Initia	l Measure	ment:	19 2018	
	A. Initial Lane 1 Lane 5 Lane 9	_ 2	002	Lane 2 Lane 6 Lane 10			ll lanes i			mmeasured. 25.02	
B. Bulkhead Confirmation Measurements: (per Rule 105.1)  Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.											
	Measure t	he outer	most lanes and Date	L-Outer Lane #	ne before the meet p Left Outer Lane Length	Center Lane #	Center Length	Lane	R- Outer Lane #	Right Outer Lane Length	2.
	Pre-me		9/9/18	1	25-03	5,	25.0	02	8	25.02	
-			/= 1 3				A	#			9
	Post sessi		7/9/18		23.03	5	Z	5.0)	8	25.04	
١. ا	Measure	d by:			`	Submit	tod have				
	Name	Name Mark Garan					Submitted by: Name Davd Bergyrs				
	Title Pot Meet Dische					1111					-
	Address 109 W Mnaha Ptus					Title	10	OH!	3/	Tap Pen	
	_	City/State/ZIP MUS MV 55419						* 10	3rd		
		hone Number 612 978 5678					City/State/ZIP Excelsion, MN 5533/				
	i none ivu	moer_	412	1/8	10/8	Phone Number					

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.