

Pool Length Certification Form (rev. 10/17/2017)

6/23/18

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Facility

Pool Name

Address

City

LMSC

Jean & Freeman Aquatic Center
123 SE Harvard St
Minneapolis State MN Zip 55455
Minnesota

Pool Length

25 Yards 25 Meters 50 Meters

Moveable Bulkhead

Yes No

Number of Touchpads in place at time of the measurement

Zero One Two

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Measuring device (see instructions): Steel tape? Laser? Other _____
- b. Distances measured in (check one):
- ☐ feet with feet displayed as a decimal to 1/100 like 75.01 feet
 - ☐ feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in.
 - ☒ meters with meters displayed as a decimal to 1/100 like 50.01m
 - ☐ meters/centimeters with centimeters displayed as 50m 1cm.

3. Measurements

Date of Initial Measurement: _____

A. Initial Measurement: Complete this section with measurement of all lanes if the pool has never been measured.

Lane 1 _____ Lane 2 _____ Lane 3 _____ Lane 4 _____
 Lane 5 _____ Lane 6 _____ Lane 7 _____ Lane 8 _____
 Lane 9 _____ Lane 10 _____ Lane 11 _____ Lane 12 _____

B. Bulkhead Confirmation Measurements: (per Rule 105.1.7)

Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.

	Date	L-Outer Lane #	Left Outer Lane Length	Center Lane #	Center Lane Length	R- Outer Lane #	Right Outer Lane Length
Pre-meet	<u>6/23</u>	<u>8</u>	<u>50.01</u>	<u>4</u>	<u>50.01</u>	<u>1</u>	<u>50.01</u>
Post session 1	<u>6/23</u>	<u>8</u>	<u>50.01</u>	<u>4</u>	<u>50.01</u>	<u>1</u>	<u>50.01</u>
Post session 2							
Post session 3							

4. Measured by:

Name

Title

Address

City/State/ZIP

Phone Number

Kaiti Goff
Aquatics Coordinator
123 SE Harvard St
Minneapolis MN 55455
605-759-8544

Submitted by:

Name

Title

Address

City/State/ZIP

Phone Number

David Bergquist
MN LMSC Top Ten
846 3rd Ave
Excelsior, MN 55331
218-260-0943

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form (rev. 10/17/2017)

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Facility

Pool Name

(East)
Dorothy Sheppard pool @ UMN-TC

Address

123 Harvard St. SE

City

Minneapolis

State

MN

Zip

55455

LMSC

Pool Length

25 Yards

25 Meters

50 Meters

Moveable Bulkhead

Yes

No

Number of Touchpads in place at time of the measurement

Zero

One

Two

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

a. Measuring device (see instructions):

Steel tape?

Laser?

Other

b. Distances measured in (check one):

☒ feet with feet displayed as a decimal to 1/100 like 75.01 feet

☐ feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in.

☐ meters with meters displayed as a decimal to 1/100 like 50.01m

☐ meters/centimeters with centimeters displayed as 50m 1cm.

3. Measurements

Date of Initial Measurement:

4/13/18

A. Initial Measurement: Complete this section with measurement of all lanes if the pool has never been measured.

Lane 1

75.01

Lane 2

Lane 3

Lane 4

75.00

Lane 5

Lane 6

Lane 7

Lane 8

75.01

Lane 9

Lane 10

Lane 11

Lane 12

B. Bulkhead Confirmation Measurements: (per Rule 105.1.7)

Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.

	Date	L-Outer Lane #	Left Outer Lane Length	Center Lane #	Center Lane Length	R- Outer Lane #	Right Outer Lane Length
Pre-meet	4/13/18	8	75.01	4	75.00	1	75.01
Post session 1	4/13/18	8	75.01	4	75.01	1	75.01
Post session 2	4/15/18	8	75.02	4	75.02	1	75.02
Post session 3							

4. Measured by:

Name

Wyatt Fitzsimmons

Title

Aquatic Event Tech.

Address

123 Harvard St. SE

City/State/ZIP

Minneapolis, MN 55455

Phone Number

Submitted by:

Name

Title

Address

City/State/ZIP

Phone Number

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form (rev. 10/17/2017)

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Facility

Pool Name University of MN Aquatic Center
 Address _____
 City Minneapolis State MN Zip 55455
 LMSC 30-MN

Pool Length

25 Yards 25 Meters 50 Meters

Moveable Bulkhead

Yes No

Number of Touchpads in place at time of the measurement

Zero One Two

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Measuring device (see instructions): Steel tape? Laser? Other _____
- b. Distances measured in (check one):
- ☒ feet with feet displayed as a decimal to 1/100 like 75.01 feet
 - ☐ feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in.
 - ☐ meters with meters displayed as a decimal to 1/100 like 50.01m
 - ☐ meters/centimeters with centimeters displayed as 50m 1cm.

3. Measurements

Date of Initial Measurement: _____

A. Initial Measurement: Complete this section with measurement of all lanes if the pool has never been measured.

Lane 1 25.01 Lane 2 _____ Lane 3 _____ Lane 4 25.01
 Lane 5 _____ Lane 6 _____ Lane 7 _____ Lane 8 25.01
 Lane 9 _____ Lane 10 _____ Lane 11 _____ Lane 12 _____

B. Bulkhead Confirmation Measurements: (per Rule 105.1.7)

Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.

	Date	L-Outer Lane #	Left Outer Lane Length	Center Lane #	Center Lane Length	R- Outer Lane #	Right Outer Lane Length
Pre-meet	<u>11/28/18</u>	<u>8</u>	<u>25.01</u>	<u>4</u>	<u>25.01</u>	<u>1</u>	<u>25.01</u>
Post session 1	<u>11/28/18</u>	<u>8</u>	<u>25.01</u>	<u>4</u>	<u>25.01</u>	<u>1</u>	<u>25.01</u>
Post session 2							
Post session 3							

4. Measured by:

Name Laiti Goff
 Title Aquatics Coordinator
 Address 123 SE Harvard
 City/State/ZIP Minneapolis MN 55455
 Phone Number 612 626 3944

Submitted by:

Name _____
 Title _____
 Address _____
 City/State/ZIP _____
 Phone Number _____

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form (rev. 10/17/2017)

Dec 2017

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Facility

Pool Name U-M
 Address _____
 City _____ State _____ Zip _____
 LMSC _____

Pool Length		
25 Yards	25 Meters	50 Meters
Movable Bulkhead		
Yes	No	
Number of Touchpads in place at time of the measurement		
Zero	One	Two

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Measuring device (see instructions): Steel tape? Laser? Other _____
- b. Distances measured in (check one):
- ☐ feet with feet displayed as a decimal to 1/100 like 75.01 feet
 - ☐ feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in.
 - ☐ meters with meters displayed as a decimal to 1/100 like 50.01m
 - ☐ meters/centimeters with centimeters displayed as 50m 1cm.

3. Measurements

Date of Initial Measurement: _____

A. Initial Measurement: Complete this section with measurement of all lanes if the pool has never been measured.

Lane 1 _____	Lane 2 _____	Lane 3 _____	Lane 4 _____
Lane 5 _____	Lane 6 _____	Lane 7 _____	Lane 8 _____
Lane 9 _____	Lane 10 _____	Lane 11 _____	Lane 12 _____

B. Bulkhead Confirmation Measurements: (per Rule 105.1.7)

Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.

	Date	L-Outer Lane #	Left Outer Lane Length	Center Lane #	Center Lane Length	R- Outer Lane #	Right Outer Lane Length
Pre-meet	12/10	8	25.02	4	25.02	1	25.02
Post session 1			25.01		25.01		25.01
Post session 2							
Post session 3							

4. Measured by:

Name Kaiti Goff
 Title Aquatics Coordinator
 Address 123 Harvard St.
 City/State/ZIP Minneapolis MN 55455
 Phone Number 612-626

Submitted by:

Name _____
 Title _____
 Address _____
 City/State/ZIP _____
 Phone Number _____

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form (rev. 3/9/2017)

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Facility

Pool Name Univ. of MN - Freeman Aquatic Center
 Address 1910 University Ave. S.E.
 City Minneapolis State MN Zip 55455
 LMSC MN-30

Pool Length

25 Yards 25 Meters 50 Meters

Movable Bulkhead

Yes No

Number of Touchpads in place at time of the measurement

Zero One Two

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Measuring device (see instructions): Steel tape? Laser? Other _____
- b. Distances measured in (check one):
- ☐ feet with feet displayed as a decimal to 1/100 like 75.01 feet
 - ☐ feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in.
 - ☒ meters with meters displayed as a decimal to 1/100 like 50.01m
 - ☐ meters/centimeters with centimeters displayed as 50m 1cm.

3. Measurements

Date of Initial Measurement: _____

A. Initial Measurement: Complete this section with measurement of all lanes if the pool has never been measured.

Lane 1 _____ Lane 2 _____ Lane 3 _____ Lane 4 _____
 Lane 5 _____ Lane 6 _____ Lane 7 _____ Lane 8 _____
 Lane 9 _____ Lane 10 _____ Lane 11 _____ Lane 12 _____

B. Bulkhead Confirmation Measurements: (per Rule 105.1.7)

Measure the outermost lanes and a center lane before the meet plus after each session with lane number & length of the lane.

	Date	L-Outer Lane #	Left Outer Lane Length	Center Lane #	Center Lane Length	R- Outer Lane #	Right Outer Lane Length
Pre-meet	6/24/17	1	50.03	4	50.04	8	50.05
Post session 1	6/24/17	1	50.03	4	50.04	8	50.06
Post session 2							
Post session 3							

4. Measured by:

Name Linda McKee
 Address 1910 University Ave. SE
 City/State/ZIP Mpls / MN / 55455
 Phone Number _____
 Association w/event (title) Aq. Dir.

Submitted by:

Name David Bergquist
 Address 846 3rd Ave #305
 City/State/ZIP Excelsior, MN 55331
 Phone Number 218-260-0943
 Association w/event (title) MN Top Ten.

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form (rev. 10/21/2016)

Measurement procedures for completing this form are found on the next page. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

1. Facility & Event Information

Pool Name University of MN Aquatic Center
 Address 1910 University Ave S.E.
 City Minneapolis State MN Zip 55455
 Evt. Name A. Icebreaker 2017

LMSC or Sanction # MN-307-5001 Event Date: 1/22/17

Pool Length		
<input checked="" type="radio"/> 25 Yards	<input type="radio"/> 25 Meters	<input type="radio"/> 50 Meters
Moveable Bulkhead		
<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Number of Touchpads in place at time of the measurement		
<input type="radio"/> Zero	<input checked="" type="radio"/> One	<input type="radio"/> Two

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Measuring device (see instructions): Steel tape? ☐ Laser? ☒ Other _____
- b. Distances measured in (check one):
- ☒ feet with feet displayed as a decimal to 1/100 like 75.01 feet
- ☐ feet/inches with inches displayed as a fraction to 1/8 like 75ft 3/8 in.
- ☐ meters with meters displayed as a decimal to 1/100 like 50.01m
- ☐ meters/centimeters with centimeters displayed as 50m 1cm.

3. Measurements

A. Initial Measurement (Pre-Meet Bulkhead Confirmation)

If measurements are a confirmation of bulkhead placement, measure only the outermost lanes and a center lane before the meet.

Lane 1	<u>75.01</u>	Lane 2	_____	Lane 3	_____	Lane 4	<u>75.02</u>
Lane 5	_____	Lane 6	_____	Lane 7	_____	Lane 8	<u>75.01</u>
Lane 9	_____	Lane 10	_____	Lane 11	_____	Lane 12	_____

B. Bulkhead Confirmation Measurements:

Additional Bulkhead Confirmation measurements must be made after each session. Note lane number and length of the lane.

After Session #	Date	L-Outer Lane #	L-Outer Lane Length	Center Lane #	Center Lane Length	R-Outer Lane #	R-Outer Lane Length
<u>1</u>	<u>1/22</u>	<u>75.01</u>		<u>75.04</u>			<u>75.03</u>
<u>2</u>							
<u>3</u>							

4. Measured by:

Name Univ. of MN Staff
 Address Same as above facility
 City/State/ZIP _____
 Phone Number 425-343-5646
 Association w/event (title) _____

Submitted by:

Name _____
 Address _____
 City/State/ZIP _____
 Phone Number _____
 Association w/event (title) _____

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS National Swims Coordinator. If a bulkhead is used, a copy of this form from the beginning of the meet and for each session must be included with meet results sent to the LMSC Top Ten Recorder in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form. To add the pool to the USMS List of Measured Pools, e-mail a copy of this form to Mary Beth Windrath, National Swims Coordinator, records@usms.org. Measure before applying for a sanction.

Pool Length Certification Form

1. Pool name Richfield Outdoor Pool LMSC MN-30

Address _____

City Richfield State MN ZIP _____

Note: For facilities with multiple pools, please identify the specific pool being measured either by unique pool name within the facility or the pool location in relation to other pools within the entire facility.

2. Measurement parameters (circle answer)

- a. Nominal pool length: 25 yards 25 meters 50 meters
 b. Moveable bulkhead: Yes No Placement confirmation _____
 c. Measuring device (see below): Steel tape Laser Other _____
 d. Number of touchpads per lane at time of measurement: None One Two
 (In some cases, two touchpads may be used, one at each end of the pool.)

3. Measurements: (Minimum distances measured)

Distances measured in (circle one): feet/inches or meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 50.052 Lane 2 50.058 Lane 3 50.054 Lane 4 50.053
 Lane 5 50.057 Lane 6 50.046 Lane 7 50.047 Lane 8 50.047
 Lane 9 50.048 Lane 10 50.046 Lane 11 _____ Lane 12 _____

4. Measured by:

Name Dave Bergquist

Title MN LMSC Top Ten

Address _____

City _____

State _____ ZIP _____

Date 7/8/16

Submitted by:

Name _____

Title _____

Address _____

City _____

State _____ ZIP _____

Date _____

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten Recorder of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the USMS Records Administrator. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten Recorder, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the USMS Guide to Operations, which can be found on the USMS website or obtained from your LMSC Top Ten Recorder.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.

Pool Length Certification Form

1. Pool name Univ. of Minnesota LMSC MN
Address 1910 Univ. Ave.
City Minneapolis State MN ZIP 55704

2. Measurement parameters (circle answer)

a. Nominal pool length:

b. Moveable bulkhead:

c. Measuring device (see below):

d. Number of touchpads per lane at time of measurement:

(In some cases, two touchpads may be used, one at each end of the pool.)

25 yards

25 meters

50 meters

Yes

No

Placement confirmation _____

Steel tape

Laser

Other _____

None

One

Two

3. Measurements: (Minimum distances measured)

Distances measured in (circle one):

feet/inches or

meters/centimeters

If these measurements are a confirmation of bulkhead placement, only the outermost lanes and a center lane must be measured.

Lane 1 75' 7/8" Lane 2 _____ Lane 3 _____ Lane 4 _____
Lane 5 75' 1" Lane 6 _____ Lane 7 _____ Lane 8 75' 3/4"
Lane 9 _____ Lane 10 _____ Lane 11 _____ Lane 12 _____

4. Measured by:

Name Karen ZenlinTitle Sanction ChairAddress 9388 Creekswood Dr.City Eden PrairieState MN ZIP 55347Date 1/19/14

Submitted by:

Name _____

Title _____

Address _____

City _____

State _____ ZIP _____

Date _____

Maintaining pool length certification forms is an LMSC responsibility. Completed forms should be sent to the Top Ten chair of the LMSC. Attach a copy of this form to record applications if the form is not already on file with the chair of the USMS Records and Tabulation Committee. If a bulkhead is used, a copy of this form for each session must be included with meet results sent to the LMSC Top Ten chair, in order to verify bulkhead placement. For a record application, the bulkhead measurement on this form should be attached to and submitted with the Record Application form.

Additional information can be found in the Records and Tabulation section of the LMSC Handbook, which can be found on the USMS website or obtained from your LMSC Top Ten chair.

Measurement procedures for completing this form are found on the reverse side. Please review them before measuring your pool and submitting this form. Only this side needs to be submitted for your pool certification.